

JC09 Rec'd PCT/PTO 08 JUN 2001


FORM PTO-1390 U.S. DEPARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE		ATTORNEY'S DOCKET NUMBER 6235-59216
TRANSMITTAL LETTER TO THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US) CONCERNING A FILING UNDER 35 U.S.C. § 371		U.S. APPLICATION NO. (if known, see 37 C.F.R. § 1.5) Unknown 09/857719
INTERNATIONAL APPLICATION NO. PCT/JP00/06947	INTERNATIONAL FILING DATE October 5, 2000	PRIORITY DATE CLAIMED October 8, 1999
TITLE OF INVENTION GENE THERAPY FOR CARDIOMYOPATHY		
APPLICANT(S) FOR DO/EO/US Ryuichi Morishita, Yoshiaki Taniyama and Toshio Ogihara		
Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information.		
<ol style="list-style-type: none"> 1. <input checked="" type="checkbox"/> This is a FIRST submission of items concerning a filing under 35 U.S.C. § 371. 2. <input type="checkbox"/> This is a SECOND or SUBSEQUENT submission of items concerning a filing under 35 U.S.C. § 371. 3. <input checked="" type="checkbox"/> This is an express request to begin national examination procedures (35 U.S.C. § 371(f) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U.S.C. § 371(b) and PCT Articles 22 and 39(1). 4. <input checked="" type="checkbox"/> A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date. 5. <input checked="" type="checkbox"/> A copy of the International Application as filed (35 U.S.C. § 371(e)(2)) <ol style="list-style-type: none"> a. <input type="checkbox"/> is transmitted herewith (required only if not transmitted by the International Bureau). b. <input checked="" type="checkbox"/> has been transmitted by the International Bureau. c. <input type="checkbox"/> is not required, as the application was filed in the United States Receiving Office (RO/US) 6. <input checked="" type="checkbox"/> A translation of the International Application into English (35 U.S.C. § 371(c)(2)) 7. <input checked="" type="checkbox"/> Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. § 371(c)(3)) <ol style="list-style-type: none"> a. <input type="checkbox"/> are transmitted herewith (required only if not transmitted by the International Bureau). b. <input type="checkbox"/> have been transmitted by the International Bureau c. <input type="checkbox"/> have not been made, however, the time limit for making such amendments has NOT expired. d. <input checked="" type="checkbox"/> have not been made and will not be made. 8. <input type="checkbox"/> A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. § 371(c)(3)). 9. <input checked="" type="checkbox"/> An oath or declaration of the inventor(s) (35 U.S.C. § 371(c)(4)) (Unsigned). 10. <input type="checkbox"/> A translation of the annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. § 371(c)(5)). 		
Items 11. to 16. below concern document(s) or information included: <ol style="list-style-type: none"> 11. <input type="checkbox"/> An Information Disclosure Statement under 37 C.F.R. §§ 1.97 and 1.98. 12. <input type="checkbox"/> An assignment document for recording. A separate cover sheet in compliance with 37 C.F.R. §§ 3.28 and 3.31 and the Recordal fee of \$40.00 is included. 13. <input checked="" type="checkbox"/> A FIRST preliminary amendment. <input type="checkbox"/> A SECOND or SUBSEQUENT preliminary amendment. 14. <input type="checkbox"/> A substitute specification. 15. <input type="checkbox"/> A change of power of attorney and/or address letter. 16. <input type="checkbox"/> Other items or information: <ul style="list-style-type: none"> <input type="checkbox"/> Written Opinion. <input type="checkbox"/> Preliminary Examination Report. <input type="checkbox"/> International Search Report. <input type="checkbox"/> Copies of References Cited. 		



24197

09857719-120301

531 Rec'd PCT 08 JUN 2001

U.S. APPLICATION NO. (If known, see 37 C.F.R. § 1.492(f))		INTERNATIONAL APPLICATION NO.		ATTORNEY'S DOCKET NO.	
Unknown 097857719		PCT/JP00/06947		6235-59216	
17. <input checked="" type="checkbox"/> The following fees are submitted:				CALCULATIONS (PTO USE ONLY)	
BASIC NATIONAL FEE (37 C.F.R. §§ 1.492(a)(1)-(5)): Neither International Preliminary Examination fee (37 C.F.R. § 1.482) nor International Search fee (37 C.F.R. § 1.445(a)(2)) paid to USPTO and International Search Report not prepared by the EPO or JPO.....\$1,000.00 International Preliminary Examination fee (37 C.F.R. § 1.482) not paid to USPTO but International Search Report prepared by the EPO or JPO.....\$860.00 International Preliminary Examination fee (37 C.F.R. § 1.482) not paid to USPTO but International Search fee (37 C.F.R. § 1.445(a)(2)) paid to USPTO.....\$710.00 International Preliminary Examination fee paid to USPTO (37 C.F.R. § 1.482) but all claims did not satisfy provisions of PCT Article 33(1)-(4).....\$690.00 International Preliminary Examination fee paid to USPTO (37 C.F.R. § 1.482) and all claims satisfied provisions of PCT Article 33(1)-(4).....\$100.00					
ENTER APPROPRIATE BASIC FEE AMOUNT =				\$ 860.00	
Surcharge of \$130.00 for furnishing the oath or declaration later than <input checked="" type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 C.F.R. § 1.492(e)).				\$ 130.00	
CLAIMS	NUMBER FILED	NUMBER EXTRA	RATE		
Total claims	27 - 20 =	7	x \$18.00	\$ 126.00	
Independent Claims	4 - 3 =	1	x \$80.00	\$ 80.00	
MULTIPLE DEPENDENT CLAIM(S) (if applicable)			+ \$270.00	\$	
TOTAL OF ABOVE CALCULATIONS =				\$ 1196.00	
<input checked="" type="checkbox"/> Reduction of 1/2 for filing by small entity. Small entity status is claimed for this application.				\$ 598.00	
SUBTOTAL =				\$ 1196.00	
Processing fee of \$130.00 for furnishing the English translation later than <input checked="" type="checkbox"/> 20 <input type="checkbox"/> 30 Months from the earliest claimed priority date (37 C.F.R. §§ 1.492(f)).				\$ 130.00	
TOTAL NATIONAL FEE =				\$ 728.00	
Fee for recording the enclosed assignment (37 C.F.R. § 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 C.F.R. §§ 3.28, 3.31). \$40.00 per property.				\$	
TOTAL FEES ENCLOSED =				\$ 728.00	
				REFUND → \$	
				CHARGE → \$	
a. <input checked="" type="checkbox"/> A check in the amount of \$ 728.00 to cover the above fees is enclosed. c. <input checked="" type="checkbox"/> The Director is hereby authorized to charge any additional fees that may be required, or credit any overpayment, to Deposit Account No. 02-4550. A duplicate copy of this sheet is enclosed. d. <input checked="" type="checkbox"/> Please return the enclosed postcard to confirm that the items listed above have been received.					
NOTE: Where an appropriate time limit under 37 C.F.R. § 1.494 or § 1.495 has not been met, a petition to revive (37 C.F.R. § 1.137(a) or (b)) must be filed and granted to restore the application to pending status.					
SEND ALL CORRESPONDENCE TO: KLARQUIST SPARKMAN CAMPBELL LEIGH & WHINSTON, LLP One World Trade Center, Suite 1600 121 S W. Salmon Street Portland, OR 97204-2988					
				SIGNATURE  William D. Noonan, M.D. NAME 30.878 REGISTRATION NUMBER	

cc: Docketing

09857719-120301

PATENT

09/857719
531 Rec'd PCT/JP
08 JUN 2001

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: Ryuichi Morishita,
Yoshiaki Taniyama and Toshio Ogihara

Art Unit: Not yet assigned

Application No. Filed concurrently herewith

Filed: Concurrently herewith

For: GENE THERAPY FOR CARDIOMYOPATHY

Examiner: Not yet assigned

Date: June 8, 2001

CERTIFICATE OF MAILING

I hereby certify that this paper and the documents referred to as being attached or enclosed herewith are being deposited with the United States Postal Service on June 8, 2001 by EXPRESS MAIL LABEL NO. EL754020016US, addressed to: BOX PCT, COMMISSIONER FOR PATENTS, WASHINGTON, D.C. 20231.

William D. Noonan

William D. Noonan, M.D.
Attorney for Applicant

BOX PCT
COMMISSIONER FOR PATENTS
WASHINGTON, D.C. 20231

PRELIMINARY AMENDMENT

Applicants request consideration of the accompanying national phase application in light of the following amendments and remarks. Please amend the application as follows:

In the specification:

Please insert the following header and paragraph on page 1, immediately following the title:

--CROSS REFERENCE TO RELATED APPLICATIONS

This is the National Stage of International Application No. PCT/JP00/06947, filed October 5, 2000, which claims priority from Japan Patent Application Number 11/288532, filed October 8, 1999.--

In the claims:

On page 11, at line 2, please insert the following paragraph:

WE CLAIM:

PATENT

Please amend the following claims:

1. A therapeutic agent for myocardiopathy used for noninvasive administration, comprising a therapeutically effective amount of a nucleic acid molecule encoding a hepatocyte growth factor (HGF).

2. The therapeutic agent of claim 1, wherein the nucleic acid molecule is a pharmaceutical composition suitable for administration into cardiac muscle.

3. The therapeutic agent of claim 1, wherein the nucleic acid molecule comprises a Sendai virus (HJV)-liposome.

4. The therapeutic agent of claim 2, wherein noninvasive administration comprises echocardiography guided administration.

5. The therapeutic agent of claim 1, wherein the agent is administered once a week for 8 weeks.

6. The therapeutic agent of claim 1, comprising at least 10 µg of the nucleic acid molecule.

7. The therapeutic agent of claim 1, wherein the myocardiopathy is selected from the group consisting of cardiomyopathy, angina pectoris and heart failure.

8. A therapeutic agent used for noninvasive administration of a nucleic acid molecule into an affected part of a tissue using echocardiography, comprising a therapeutically effective amount of a nucleic acid molecule encoding a polypeptide effective for the treatment of a disorder.

9. The agent of claim 8, wherein the affected part of the tissue is cardiac muscle.

10. The agent of claim 8, wherein the nucleic acid molecule encodes HGF.

PATENT

11. A method for treating myocardiopathy, comprising noninvasive administration of a therapeutically effective amount of a nucleic acid molecule encoding HGF into the cardiac muscle of a mammal.

12. The method of claim 11, wherein the nucleic acid molecule comprises a Sendai virus (HVJ)-liposome.

13. The method of claim 11, wherein the nucleic acid molecule is administered noninvasively to a part of an affected cardiac muscle using echocardiography.

14. The method of claim 11, wherein the nucleic acid molecule is administered once a week for 8 weeks.

15. The method of claim 11, wherein the myocardiopathy is selected from the group consisting of cardiomyopathy, angina pectoris and heart failure.

16. A method for treating a disorder, comprising noninvasive administration of a nucleic acid molecule encoding a polypeptide effective for the treatment of a disorder into an affected part of a tissue using echocardiography.

17. The method of claim 16, wherein the affected tissue is cardiac muscle.

18. The method of claim 16, wherein the nucleic acid molecule encodes HGF.

Please cancel claims 19-25.

Please add the following new claims:

26. The therapeutic agent of claim 2, wherein the nucleic acid molecule comprises a Sendai virus (HVJ)-liposome.

08857719.120301

PATENT

27. The therapeutic agent of claim 3, wherein noninvasive administration comprises echocardiography guided administration.

28. The agent of claim 9, wherein the nucleic acid molecule encodes HGF.

29. The method of claim 11, wherein the mammal is a human.

30. The method of claim 12, wherein the nucleic acid molecule is administered noninvasively to a part of an affected cardiac muscle using echocardiography.

31. The method of claim 17, wherein the nucleic acid molecule encodes HGF.

32. The method of claim 11, wherein the noninvasive administration comprises administering the nucleic acid molecule by injection.

33. The method of claim 11, wherein the non evasive administration comprises administering the nucleic acid molecule through a catheter.

34. The method of claim 32, wherein injection comprises injection into an affected cardiac muscle.

35. The method of claim 34, wherein the noninvasive administration further comprises injecting the nucleic acid molecule into the cardiac muscle.

REMARKS

Applicants have amended the specification to introduce the priority claims. Applicants have amended the claims to remove multiple dependencies and revise some of the language of the claims to be more consistent with United States claim drafting style. No new matter has been added by this amendment.

0657719-120301

PATENT

The Examiner is invited to telephone the undersigned to discuss any issues related to this application.

Respectfully submitted,

KLARQUIST SPARKMAN CAMPBELL
LEIGH & WHINSTON, LLP

By William D. Noonan
William D. Noonan, M.D.
Registration No. 30,878

One World Trade Center, Suite 1600
121 S.W. Salmon Street
Portland, Oregon 97204
Telephone: (503) 226-7391
Facsimile: (503) 228-9446

09857719.120301

PATENT

Marked-up Version of Amended Claims
Pursuant to 37 C.F.R. §§ 1.121(b)-(c)

531 Rec'd PRT 09/08/01 857719
08 JUN 2001

1. (Amended) A therapeutic agent for myocardial pathology used for noninvasive administration, comprising a therapeutically effective amount of a nucleic acid molecule encoding a hepatocyte growth factor (HGF) [gene as the effective ingredient].
2. (Amended) The therapeutic agent of claim 1, [which] wherein [is used for administration of] the [HGF gene] nucleic acid molecule is a pharmaceutical composition suitable for administration into [the] cardiac muscle.
3. (Amended) The therapeutic agent of claim 1 [or 2], wherein the [HGF gene is in the form of] nucleic acid molecule comprises a Sendai virus (HVJ)-liposome.
4. (Amended) The therapeutic agent of claim 2 [or 3, which is used for], wherein noninvasive administration [to the affected part of the cardiac muscle under the usage of echo] comprises echocardiography guided administration.
5. (Amended) The therapeutic agent of [any of claims 1 to 4,] claim 1, wherein the agent is [which is to be] administered [at least 8 times,] once a week for 8 weeks.
6. (Amended) The therapeutic agent of [any of claims 1 to 5] claim 1, [wherein] comprising at least 10 μg of the [HGF gene] nucleic acid molecule [is used].
7. (Amended) The therapeutic agent of [any of claims 1 to 6] claim 1, wherein the myocardial pathology is selected from the group consisting of cardiomyopathy, angina pectoris and heart failure.
8. (Amended) A [gene therapy] therapeutic agent used for noninvasive administration of a [gene] nucleic acid molecule into an affected part of a tissue [under the usage of echo] using echocardiography, [which comprises genes] comprising a therapeutically effective amount of a

PATENT

nucleic acid molecule encoding a polypeptide effective for the treatment of a disorder [as the effective ingredient].

9. (Amended) The [gene therapy] agent of claim 8, wherein the affected part of the tissue is [the] cardiac muscle.

10. (Amended) The [gene therapy] agent of claim 8 [or 9], wherein the [gene is an HGF gene] nucleic acid molecule encodes HGF.

11. (Amended) A method for [gene therapy for] treating myocardiopathy, [which comprises] comprising noninvasive administration of [an HGF gene] a therapeutically effective amount of a nucleic acid molecule encoding HGF into the cardiac muscle of a mammal[, including a human].

12. (Amended) The method [for gene therapy] of claim 11, wherein the [HGF gene is in the form of] nucleic acid molecule comprises a Sendai virus (HVJ)-liposome.

13. (Amended) The method [for gene therapy] of claim 11 [or 12], wherein the [HGF gene] nucleic acid molecule is administered noninvasively to a part of an affected cardiac muscle [under the usage of echo] using echocardiography.

14. (Amended) The method [for gene therapy of any of claims 11 to 14] of claim 11, wherein the [HGF gene] nucleic acid molecule is administered [at least 8 times,] once a week for 8 weeks.

15. (Amended) The method [for gene therapy of any of claims 11 to 14] of claim 11, wherein the myocardiopathy is selected from the group consisting of cardiomyopathy, angina pectoris and heart failure.

16. (Amended) A method for [gene therapy] treating a disorder, [which comprises the] comprising noninvasive administration of [genes] a nucleic acid molecule encoding a

PATENT

polypeptide effective for the treatment of a disorder into an affected part of a tissue [under the usage of echo] using echocardiography.

17. (Amended) The method [for gene therapy] of claim 16, wherein the affected tissue is [the] cardiac muscle.

18. (Amended) The method [for gene therapy] of claim 16 [or 17], wherein the [gene is an HGF gene] nucleic acid molecule encodes HGF.

Please cancel claims 19-25.

Please add the following new claims:

26. The therapeutic agent of claim 2, wherein the nucleic acid molecule comprises a Sendai virus (HVJ)-liposome.

27. The therapeutic agent of claim 3, wherein noninvasive administration comprises echocardiography guided administration.

28. The agent of claim 9, wherein the nucleic acid molecule encodes HGF.

29. The method of claim 11, wherein the mammal is a human.

30. The method of claim 12, wherein the nucleic acid molecule is administered noninvasively to a part of an affected cardiac muscle using echocardiography.

31. The method of claim 17, wherein the nucleic acid molecule encodes HGF.

32. The method of claim 11, wherein the noninvasive administration comprises administering the nucleic acid molecule by injection.

0657719-120301

PATENT

33. The method of claim 11, wherein the non evasive administration comprises administering the nucleic acid molecule through a catheter.

34. The method of claim 32, wherein injection comprises injection into an affected cardiac muscle.

35. The method of claim 34, wherein the noninvasive administration further comprises injecting the nucleic acid molecule into the cardiac muscle.

09857719-120301

DESCRIPTION

GENE THERAPY FOR CARDIOMYOPATHY

5 Technical Field

10 The present invention relates to a method of gene therapy for treating myocardiopathy by noninvasive administration of an HGF (hepatocyte growth factor) gene and therapeutic agents used therefor. More specifically, the present invention relates to a method of gene therapy for treating myocardiopathy by noninvasive administration of an HGF gene into the cardiac muscle, especially to a method of gene therapy that more efficiently treats heart disease, such as cardiomyopathy, angina pectoris and heart failure, by injecting an HGF gene into the affected part of cardiac muscle under the usage of echo, and to therapeutic agents used therefor. Moreover, the present invention relates to a method of gene therapy which is applicable to genes other than HGF genes and that consists of administering genes to the affected part of tissue noninvasively under the usage of echo.

20 Background Art

In spite of the recent striking technical improvements in the medical field, many problems remain unsolved. The problem of myocardiopathy is one of the important unsolved subjects.

25 Myocardiopathy is a general name for diseases attributable to organic and functional abnormalities of the cardiac muscle. For example, cardiomyopathy is classified into secondary cardiomyopathy, which occurs in sequence to hypertension, dysbolism, ischemic disease and such, and idiopathic cardiomyopathy (ICM), which occurs without any distinct fundamental disease. Hypertrophic cardiomyopathy (HCM) is classified as an ICM, whose cause of disease is most revealed at the genetic level. In half the numbers of patients with HCM, familial history following autosomal dominant heredity is recognized. Linkage analysis of such family lines, with multiple patients as the object, revealed 5 causal loci so far and the causal gene itself is 35 specified in 4 of them.

Many cases of dilated cardiomyopathy (DCM) occur independently,

09857719-120301

but familial history is recognized in 20% of the cases. Linkage analysis of such family lines, with multiple patients as the object, revealed 7 types of causal loci (causal genes are unknown).

Regarding myocardiopathy, research is in progress to specify causal gene and to reveal the mechanism underlying the start of disease. So far, no concrete action for gene therapy has been done.

On the other hand, the rapid progress lately in molecular biology has made it possible to activate cellular function by gene transfer methods and various attempts have been made. In particular, there are some reports for gene transfer methods to the heart, like intravenous drip (J.Clin.Invest., 90, 626-630(1992)), direct injection (Circulation, 82, 2217-2221(1990); Circulation, 90, 2414-2424(1994)) or coronary diffusional infusion method that utilizes the plasmid as it is (J.Thorac.Cardiovasc.Surg., 109, 716-720(1995)) and so on, but were far from noninvasive concrete treatment.

Disclosure of the Invention

The object of this invention is to provide a noninvasive treatment for myocardiopathy, for which effective treatment is currently unknown, and therapeutic agents used therefor. That is, the present invention relates to a method of gene therapy for treating myocardiopathy by noninvasive administration of an HGF gene and therapeutic agents used therefor. More specifically, the present invention relates to a method of gene therapy for treating myocardiopathy by noninvasive administration of an HGF gene into the cardiac muscle, especially to a method of gene therapy for treating myocardiopathy that more efficiently treat a heart disease, such as cardiomyopathy, angina pectoris and heart failure, by injecting an HGF gene to the affected part of cardiac muscle under the usage of echo, and to therapeutic agents used therefor. Moreover, the present invention relates to a method of gene therapy which is applicable to genes other than HGF genes and that consists of administering genes to the part of affected tissue noninvasively under the usage of echo.

Present inventors investigated to find out that effective results are obtained by using an HGF gene as the gene and noninvasively infusing directly to the affected part of cardiac muscle layer. That is,

09857719-120301

present inventors found out that it is effective to infuse HGF gene to the affected part of cardiac muscle optically using echo without incision of the affected part or thoracotomy. Since this method is a noninvasive treatment, it is possible to administer the present gene repeatedly, according to the condition, and therefore it is possible to treat myocardialopathy efficiently.

Present inventors newly discovered that effective treatments can be done by infusing genes to the affected part optically using echo and showed that the method of the present invention enables genetic treatment of various organ-specific disease.

For example, in the case where the HGF gene is used, according to the present invention, it is possible to treat various organ-specific diseases like pulmonary fibrosis, cirrhosis, hepatic fibrosis and so on. Furthermore, genes other than the HGF gene are also effective in the method of the present invention above.

Thus, the outline of the present invention is as follows:

- (1) a therapeutic agent for myocardialopathy used for noninvasive administration comprising a hepatocyte growth factor (HGF) gene as the effective ingredient;
- (2) the therapeutic agent of (1), which is used for administration of the HGF gene into the cardiac muscle;
- (3) the therapeutic agent of (1) or (2), wherein the HGF gene is in the form of Sendai virus (HVJ)-liposome;
- (4) the therapeutic agent of (2) or (3), which is used for noninvasive administration to the affected part of the cardiac muscle under the usage of echo;
- (5) the therapeutic agent of any of (1) to (4), which is to be administered at least 8 times, once a week;
- (6) the therapeutic agent of any of (1) to (5), wherein at least 10 μ g of the HGF gene is used;
- (7) the therapeutic agent of any of (1) to (6), wherein the myocardialopathy is selected from the group consisting of cardiomyopathy, angina pectoris and heart failure;
- (8) a gene therapy agent used for noninvasive administration of a gene into an affected part of a tissue under the usage of echo, which comprises genes effective for the treatment of a disorder as the

09857719-120301

effective ingredient;

(9) the gene therapy agent of (8), wherein the affected part of the tissue is the cardiac muscle;

5 (10) the gene therapy agent of (8) or (9), wherein the gene is an HGF gene;

(11) a method for gene therapy for myocardiodopathy, which comprises the noninvasive administration of an HGF gene into the cardiac muscle of a mammal, including a human;

10 (12) the method for gene therapy of (11), wherein the HGF gene is in the form of Sendai virus (HVJ)-liposome;

(13) the method for gene therapy of (11) or (12), wherein the HGF gene is administered noninvasively to a part of an affected cardiac muscle under the usage of echo;

15 (14) the method for gene therapy of any of (11) to (13), wherein the HGF gene is administered at least 8 times, once per week;

(15) the method for gene therapy of any of (11) to (14), wherein the myocardiodopathy is selected from the group consisting of cardiomyopathy, angina pectoris and heart failure;

20 (16) a method for gene therapy, which comprises the noninvasive administration of genes effective for the treatment of a disorder into an affected part of a tissue under the usage of echo;

(17) the method for gene therapy of (16), wherein the affected tissue is the cardiac muscle;

25 (18) the method for gene therapy of (16) or (17), wherein the gene is an HGF gene;

(19) use of an HGF gene for the production of a therapeutic agent for myocardiodopathy used for noninvasive administration;

(20) the use of (19), wherein the HGF gene is in the form of Sendai virus (HVJ)-liposome;

30 (21) the use of (19) or (20), wherein the therapeutic agent is a therapeutic agent used for the noninvasive administration of the HGF gene to an affected part of the cardiac muscle under the usage of echo;

35 (22) the use of any of (19) to (21), wherein the myocardiodopathy is selected from the group consisting of cardiomyopathy, angina pectoris and heart failure;

08857719.120301

(23) use of a gene for the production of a gene therapy agent used for the noninvasive administration of genes effective for the treatment of a disorder into an affected part of a tissue under the usage of echo;

(24) the use of (23), wherein the affected tissue is cardiac muscle; and

(25) the use of (23) or (24), wherein the gene is an HGF gene.

Brief Description of the Drawings

Figure 1 is a graph showing that gene transfer under usage of echo is possible. It is proven by the high activity rate of luciferase in cardiomyopathy guinea pig, in which luciferase as the reporter gene is introduced to the heart using HVJ.

Figure 2 is a graph showing the result of a comparison between an HGF gene and a control by measuring cardiac capillary vessel density by ALP (alkaline phosphatase) staining.

Figure 3 is a graph showing the result of a comparison of the amount of cardiac bloodstream between an HGF gene group, a control group and a non-treated group by evaluation with a laser Doppler imager (LDI).

Figure 4 is a graph showing the result of a comparison of the distribution density of fibrosis of the heart by measurement using Masson staining.

Best Mode for Carrying out the Invention

As used herein, "HGF gene" means a gene that can express HGF (the HGF protein). Such genes include genes with deletion of a part of the gene sequence, substitution by another base of the gene sequence, insertion of other base sequence, or binding of bases to the 5' terminus and/or 3' terminus, so long as the expressed polypeptide thereof has substantially the same effect as HGF. For example, HGF genes described in Nature 342:440 (1989); Japanese Patent No., 2777678; Biochem. Biophys. Res. Commun. 163:967 (1989); and Biochem. Biophys. Res. Commun. 172:321 (1990) are included. These genes can be used in the present invention.

The base sequence of the HGF gene (the cDNA encoding HGF) of

00657719-120301

the present invention has been described in the above literature and is also registered with databases, such as Genbank. Thus, based on such sequence information, a suitable DNA portion is used as a PCR primer; for example, by performing an RT-PCR reaction on mRNA derived from the liver or leukocytes, cDNA of HGF can be cloned. Such cloning can easily be performed by a person skilled in the art according to a basic textbook, such as Molecular Cloning 2nd Ed., Cold Spring Harbor Laboratory Press (1989). Modification and such of the HGF gene can be also readily done by a person skilled in the art according to the above basic textbook.

Subsequently, methods of gene transfer, dosage forms, dose and the like for use in gene therapy of the present invention are explained.

The dosage form of a gene therapy agent comprising the above gene as an effective ingredient to be administered to patients are roughly classified into two groups: one is the case in which a nonviral vector is used, and the other is in which a viral vector is used. Methods for preparation and administration thereof are explained in detail in experimental manuals (Supplement of Experimental Medicine, Basic Technology in gene therapy, Yodosha (1996); Supplement of Experimental Medicine, Experimental Methods in Gene Introduction and Expression Analysis, Yodosha (1997); Handbook for Development and Research of Gene Therapy, Japan Society of Gene Therapy ed., NTS (1999)). Specifics are explained below.

A. Usage of a nonviral vector

A recombinant expression vector, in which a gene of interest has been integrated into a commonly used gene expression vector, may be used to introduce the gene of interest into cells or tissue by the following method etc.

Illustrative methods of gene transfer into cells include the lipofection method, calcium phosphate co-precipitation method, DEAE-dextran method, direct DNA introduction methods using micro glass tubes, and the like.

Regarding methods of gene transfer into the tissue, the recombinant expression vector may be incorporated into the cell by subjecting it to any method, such as the gene transfer method with internal type liposome, method of gene introduction with electrostatic

type liposome, HVJ-liposome method, improved HVJ-liposome method (HVJ-AVE liposomemethod), receptor-mediated gene introduction method, method of introducing DNA molecules together with carriers (metal particles) by a particle gun, method of directly introducing naked-DNA, method of introduction with positively-charged polymers and the like.

Among them, the HVJ-liposome is a fusion product prepared by enclosing a DNA into a liposome made of lipid bilayer, which is fused to inactivated Sendai virus (Hemagglutinating virus of Japan: HVJ). The HVJ-liposome method is characterized by very high fusing activity with the cell membrane as compared to the conventional liposome method, and is a preferred mode of introduction. For the method of preparing HVJ-liposome, see, the literature for details (Separate volume of Experimental Medicine, Basic Technology in gene therapy, Yodosha (1996); experimental Methods in Gene Introduction and Expression Analysis, Yodosha (1997); J.Clin.Invest. 93:1458-1464 (1994); Am.J.Physiol. 271:R1212-1220 (1996)) and the like, and experimental examples described below for details.

In particular, the Z strain (available from ATCC) is preferred as the HVJ strain, but other HVJ strains (for example, ATCC VR-907 and ATCC VR-105) may also be used.

Furthermore, the method of directly introducing naked-DNA is the most simple method among the methods described above, and in this regard a preferred method of introduction.

Expression vectors as used herein may be any expression vectors so long as they permit the *in vivo* expression of the gene of interest. Examples include expression vectors such as pCAGGS (Gene 108:193-200 (1991)), pBK-CMV, pcDNA3.1, pZeoSV (Invitrogen, Stratagene) and the like.

B. Usage of a viral vector

Representative methods that use viral vectors include those using viral vectors such as recombinant adenovirus, retrovirus and the like. More specifically, the gene of interest can be introduced into a DNA virus such as detoxified retrovirus, adenovirus, adeno-associated virus, herpes virus, vaccinia virus, poxvirus, poliovirus, Sindbis virus, Sendai virus, SV40, human immunodeficiency virus (HIV) and the like, which is then infected to the cell to introduce the gene

09857719-120301

into the cell.

Among the above viral vectors, the efficiency of infection of adenovirus is known to be much higher than that of other viral vectors. In this regard, it is preferred to use an adenovirus vector system.

As methods of introducing a gene therapy agent into a patient, there are *in vivo* methods, which permit direct introduction of the gene therapy agent into the body, and *ex vivo* methods, in which certain cells are removed from human, to which the gene therapy agent is introduced and which are returned into the body thereafter (Nikkei Science, April 1994 issue pp.20-24; Monthly Yakuji, 36(1): 23-48 (1994); Supplement To Experimental Medicine 12(15) (1994); Handbook for Development and Research of Gene Therapy, NTS (1999)). According to the present invention, the *in vivo* method is preferred.

Dosage forms may take various forms according to various administration regimens described above (for example, liquids). When, for example, an injection containing the gene as an effective ingredient is to be used, said injection may be prepared by dissolving the effective ingredient(s) into a standard solvent (a buffer such as PBS, physiological saline, sterile water, etc.). The injection liquid may then be filter-sterilized with filter as needed and then filled into sterilized containers. Conventional carriers and so on may be added to the injection. Liposomes, such as HVJ-liposome, may take the form of suspensions, frozen formulations, centrifugation-concentrated frozen formulations, and the like.

In addition to the HGF gene introduced in this invention, it is possible to use endogenous cardiac muscle protective factors or regeneration factors against cardiac muscle. For example, it is reported that factors, such as TGF- β and heat shock protein (HSP) expressed highly during damage of the cardiac muscle, reduce myocardiopathy and are engaged in the repair of cardiac muscle. Therefore, it is possible to use the genes encoding them. Moreover, growth factors, such as EGF, are reported to repair cell damage in various tissues and genes encoding them can be also used. In addition to these cardiac muscle protective factors and regeneration factors, factors related to protection and regeneration of the cardiac muscles can be utilized.

According to the invention, it is possible to deliver the protein of interest to damaged cells, such as cardiac muscle cells, by introducing an HGF gene, alone or together with other genes, to the cardiac muscle cell of the heart and highly expressing them. This enables activation of repair and regeneration of the damaged cardiac muscle and such, and recuperation of the cardiac function involved in myocardiopathy. Hence, the gene therapy agent of this invention can be applied to patients with critical cardiomyopathy, and offers remedy for patients for whom no options, other than heart transplantation, are left.

Moreover, the therapeutic agent of this invention can be applied not only to patients with severe cardiomyopathy but also to patients with progressive mild cardiomyopathy. It is applicable to patients of myocardiopathy-like angina pectoris and heart failure as well.

Proper methods and sites for administration adequate for the disease or symptom to be treated are selected for the gene therapy agent of this invention. Cardiac muscle (affected part of the cardiac muscle) is a preferable administration site. As to the administration methods, parenteral administration methods are preferred.

Examples of parenteral administration methods include administration by noninvasive catheter, noninvasive injector and so on. More preferred are administration methods which utilize noninvasive catheter, noninvasive injector and such under the usage of echo. As a method using noninvasive catheter, for example, methods like injecting HGF genes directly can be indicated.

Dosage of the therapeutic agent of this invention varies depending on the symptoms of the patient but HGF genes 0.0001 mg to 100mg, preferably about 0.001 to 10mg per adult patients can be defined.

When the HVJ-liposome form is chosen, HGF genes of a range of about 1 to about 4000 μ g, preferably about 10 to about 400 μ g per adult patient is selected.

The therapeutic agent of this invention is suited for administration once every few days or every few weeks, and administration once per week is preferred.

Frequency of administration is to be selected depending on the symptoms of the patients. In compliance with the object of the

treatment, plural administration is suitable, and preferably administration of 8 times can be indicated.

Further to the present invention, a new gene therapy method and therapeutic agent used therefor, including noninvasive administration of therapeutically effective gene for the treatment of the disorder to the affected tissue site under the usage of echo, is presented. That is, it was revealed for the first time that effective treatments can be achieved visually by administering directly the gene to the affected tissue under the usage of echo. According to the therapeutic treatment of the invention, genes are administered noninvasively and therefore desired genes can be administered as much as the condition demands, which is advantageous as compared to former methods. Gene therapy methods of this invention can be applied to any genes, in addition to HGF gene. This gene therapy method of the invention is particularly effective when applied to the affected site of cardiac muscle. Genes administered in such situations include the HGF gene, TGF- β gene, HSP gene, VEGF gene, FGF gene, EGF gene and so on.

The present invention will now be specifically explained with reference to the following examples. It should be noted, however, that the present invention is not limited by these examples in any way.

Materials and Methods

Experimental Animals

Hamster model for cardiomyopathy (cardiomyopathy hamster; Bio14.6) was purchased from Oriental Yeast.

HGF gene

Human HGF gene was cloned from human HGF cDNA (Japanese Patent No. 2777678) according to a conventional method and was inserted into the expression vector pcDNA (Invitrogen).

Experimental Procedure

1. Reporter gene luciferase was introduced into the cardiomyopathy hamster by HVJ liposome under the usage of echo. A week later, the activity of the luciferase was measured. Animals into which PBS was introduced alone under the usage of echo were used as the control. Luciferase activity was measured by a luminometer

09857719-120301

(LamatLB9507 (BERTHOLO)).

2. Under the usage of echocardiogram (MD500, YOKOKAWA-GE), HVJ-liposome agent was injected into the abdominal lateral cardiac muscle of the heart of myocardiopathy hamster (12 weeks old) and was subjected to following investigations:

1) Density of blood capillary in the cardiac muscle was measured by ALP (alkaline phosphatase) staining and the result of the HGF gene was compared to that of the control.

2) Bloodstream of the heart to which HVJ-liposome was administered was evaluated by laser Doppler imager (LDI) score and the result of the HGF gene was compared to that of the control.

3) After Masson staining of the cardiac muscle, distribution density of fibrosis was measured by computer analysis. Result of the HGF gene was compared to that of the control.

Reference 1

Preparation of HVJ-liposome agent

10 mg Dried lipid (a 1:4.8:2 mixture of phosphatidyl serine, phosphatidyl choline and cholesterol) and 200 μ l balanced salt solution (137 μ M NaCl, 5.4 μ M KCl, 10 μ M Tris-HCl; pH7.6) containing HGF gene (100 μ g)-HMGl (high mobility group 1 nuclear protein, 25 μ g) was mixed and, by stirring vigorously with ultrasonication, liposomes were formed. Purified Sendai virus (Z strain) was irradiated with UV (110erg/mm²/sec) for 3 minutes. Liposome suspension was mixed with Sendai virus (HVJ), heated at 4°C for 10 minutes, and then heated at 37°C for 30 minutes. Free HVJ was discarded and thus obtained HVJ liposome agent.

Reference 2

Measurement on luciferase activity

Liposome agent with 10 μ g of luciferase gene was administered to hamsters (6 animals per group). A week later, luciferase activity was measured. Results are shown in Figure 1.

As shown in Figure 1, high levels of luciferase activity were exhibited in the heart. Thus, it was revealed that gene transfer under the usage of echo is possible.

09857719.120301

Experiment 1

Treatment of myocardiopathy hamster with HGF gene

Luciferase agent was injected into the abdominal lateral cardiac muscle of the heart of myocardiopathy hamsters (12 weeks old, 6 animals per group). A group of myocardiopathy hamsters (12 weeks old, 6 animals per group) to which liposome agent containing control vectors was injected in the same manner was used as the control and untreated myocardiopathy hamsters (6 animals per group) were used as the untreated group. Then liposome agents were injected once each week for 8 times. 8 weeks later, density of blood capillary in the cardiac muscle of the heart of the 20 week old myocardiopathy hamsters was measured by ALP staining, and bloodflow was evaluated by the LDI score. After euthanization of the hamsters, the heart was extirpated and after Masson staining, distribution density of fibrosis was measured by computer analysis.

ALP staining revealed significant rise in blood capillary by angiogenesis in HGF gene treatment group. The results are shown in Figure 2.

Concerning LDI score, taking the control group as 100%, the HGF gene treatment group was $163 \pm 7\%$, which indicates significant increase in bloodflow. The results are shown in Figure 3.

According to the analysis of Masson staining, significant decrease in distribution density of fibrosis was observed in HGF gene treatment group. The results are shown in Figure 4.

Industrial Applicability

Therapeutic agents for myocardiopathy comprising an HGF gene of this invention induce angiogenesis of the affected part of cardiac muscle, increase bloodflow of the affected part while repressing and reducing fibrosis of the cardiac muscle it can repair the cardiac function. Moreover, therapeutic agents of this invention can be injected noninvasively and accurately to the affected cardiac muscle layer visually under the usage of echo. Therefore, therapeutic agents of the invention enable more effective treatment of myocardiopathy.

CLAIMS

1. A therapeutic agent for myocardiopathy used for noninvasive administration comprising a hepatocyte growth factor (HGF) gene as the effective ingredient.
2. The therapeutic agent of claim 1, which is used for administration of the HGF gene into the cardiac muscle.
3. The therapeutic agent of claim 1 or 2, wherein the HGF gene is in the form of Sendai virus (HVJ)-liposome.
4. The therapeutic agent of claim 2 or 3, which is used for noninvasive administration to the affected part of the cardiac muscle under the usage of echo.
5. The therapeutic agent of any of claims 1 to 4, which is to be administered at least 8 times, once a week.
6. The therapeutic agent of any of claims 1 to 5, wherein at least 10 μ g of the HGF gene is used.
7. The therapeutic agent of any of claims 1 to 6, wherein the myocardiopathy is selected from the group consisting of cardiomyopathy, angina pectoris and heart failure.
8. A gene therapy agent used for noninvasive administration of a gene into an affected part of a tissue under the usage of echo, which comprises genes effective for the treatment of a disorder as the effective ingredient.
9. The gene therapy agent of claim 8, wherein the affected part of the tissue is the cardiac muscle.
10. The gene therapy agent of claim 8 or 9, wherein the gene is an HGF gene.
11. A method for gene therapy for myocardiopathy, which comprises the noninvasive administration of an HGF gene into the cardiac muscle of a mammal, including a human.
12. The method for gene therapy of claim 11, wherein the HGF gene is in the form of Sendai virus (HVJ)-liposome.
13. The method for gene therapy of claim 11 or 12, wherein the HGF gene is administered noninvasively to a part of an affected cardiac muscle under the usage of echo.
14. The method for gene therapy of any of claims 11 to 13, wherein

the HGF gene is administered at least 8 times, once per week.

15. The method for gene therapy of any of claims 11 to 14, wherein the myocardiopathy is selected from the group consisting of cardiomyopathy, angina pectoris and heart failure.

- 5 16. A method for gene therapy, which comprises the noninvasive administration of genes effective for the treatment of a disorder into an affected part of a tissue under the usage of echo.

17. The method for gene therapy of claim 16, wherein the affected tissue is the cardiac muscle.

- 10 18. The method for gene therapy of claim 16 or 17, wherein the gene is an HGF gene.

19. Use of an HGF gene for the production of a therapeutic agent for myocardiopathy used for noninvasive administration.

- 15 20. The use of claim 19, wherein the HGF gene is in the form of Sendai virus (HVJ)-liposome.

21. The use of claim 19 or 20, wherein the therapeutic agent is a therapeutic agent used for the noninvasive administration of the HGF gene to an affected part of the cardiac muscle under the usage of echo.

- 20 22. The use of any of claims 19 to 21, wherein the myocardiopathy is selected from the group consisting of cardiomyopathy, angina pectoris and heart failure.

23. Use of a gene for the production of a gene therapy agent used for the noninvasive administration of genes effective for the treatment of a disorder into an affected part of a tissue under the usage of echo.

- 25 24. The use of claim 23, wherein the affected tissue is cardiac muscle.

25. The use of claim 23 or 24, wherein the gene is an HGF gene.

1/2

FIG. 1





FIG. 2



2/2

FIG. 3





FIG. 4



09 SEP 2001

SAS/WDN:mms 08/03/01 6235-59216

**COMBINED DECLARATION AND POWER OF ATTORNEY
FOR PATENT APPLICATION**

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name.

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled **GENE THERAPY FOR CARDIOMYOPATHY**, the specification of which:

- ☐ is attached hereto.
- ☒ was filed on June 8, 2001 as United States Application No. 09/857,712.
- ☐ was filed on _____ as International Application No. _____.
- ☐ and was amended on _____ (if applicable).
- ☐ with amendments through _____ (if applicable).

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, § 1.56. If this is a continuation-in-part application filed under the conditions specified in 35 U.S.C. § 120 which discloses and claims subject matter in addition to that disclosed in the prior pending application, I further acknowledge the duty to disclose material information as defined in 37 C.F.R. § 1.56 which occurred between the filing date of the prior application and the national or PCT international filing date of the continuation-in-part application.

I hereby claim foreign priority benefits under Title 35, United States Code, § 119(a)-(d) of any foreign application(s) for patent or inventor's certificate or of any PCT International application(s) designating at least one country other than the United States of America listed below and have also identified below any foreign application(s) for patent or inventor's certificate or any PCT International application(s) designating at least one country other than the United States of America filed by me on the same subject matter having a filing date before that of the application(s) on which priority is claimed:

Prior Foreign Application(s)

Priority
Claimed11/268532
(Number)Japan
(Country)October 8, 1999
(Day/Month/Year Filed)☒ ☐
Yes No

I hereby claim the benefit under Title 35, United States Code, § 119(e) of any United States provisional application(s) listed below:

Application Number

Filing Date

I hereby claim the benefit under Title 35, United States Code, § 120 of any United States application(s) or § 365(c) of any PCT International application(s) designating the United States, listed below and, insofar as the subject

COPY

09857719.120301

SAS/WDN:ums 08/03/01 6235-59216

matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of Title 35, United States Code, § 112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, § 1.56(a) which occurred between the filing date of the prior application and the national or PCT International filing date of this application:

PCT/JP00/06947October 5, 2000

(Application No.)

(Filing Date)

(Status: patented,
Pending, abandoned)

The undersigned hereby authorizes the U.S. attorney or agent named herein to accept and follow instructions from Shimizu Patent Office as to any action to be taken in the Patent and Trademark Office regarding this application without direct communication between the U.S. attorney or agent and the undersigned. In the event of a change in the persons from whom instructions may be taken, the U.S. attorney or agent named herein will be so notified by the undersigned.

I hereby appoint the practitioners associated with the customer number provided below to prosecute this application, to file a corresponding international application, and to transact all business in the Patent and Trademark Office connected therewith:

Customer Number

**24197**
ESCLW

Name	Reg. No.	Name	Reg. No.
BLYVEIS, Deborah B.	47,337	PETERSEN, David P.	28,106
CALDWELL, Lisa M.	41,653	POLLEY, Richard J.	28,107
GIRARD, Michael F.	38,467	RINEHART, Kyle B.	47,027
HAENDLER, Jeffrey B.	43,652	RUPERT, Wayne W.	34,420
HARDING, Tanya M.	42,630	RYBAK, Sherie L.	47,913
JAKUBEK, Joseph T.	34,190	SCOTT, Robert F.	39,880
JONCUS, Stephen J.	44,809	SIBGEL, Susan Alpert	43,131
JONES, Michael D.	41,879	SLATER, Stacey C.	36,011
KLARQUIST, Kenneth S.	16,445	STEPHENS Jr., Donald L.	34,022
KLITZKE II, Ramon A.	30,188	STUART, John W.	24,540
LEIGH, James S.	20,434	VANDENBERG, John D.	34,342
MAURER, Gregory L.	43,781	WHINSTON, Arthur L.	19,155
NOONAN, William D.	30,578	WIGHT, Stephen A.	37,759
ORR, David E.	44,288	WYNN, Garth A.	39,220

Address all telephone calls to Susan Alpert Siegel, Ph.D. at telephone number (503) 226-7391.

Address all correspondence to:

Customer Number

**24197**
ESCLW

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under § 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

COPY

2001年10月26日 16時20分

SHIMIZU PATENT OFFICE

NO. 3098 P. 4/4

SAS/WDN:masa 08/03/01 6235-59216

Full Name of Sole or First Inventor:

Ryuichi Morishita

Inventor's Signature

Ryuichi Morishita2001/8/10

Date

Residence: Osaka, Japan

JPX

Citizenship: Japan

Post Office Address:

2-11-22-502, Miyahara, Yodogawa-ku, Osaka-shi, Osaka 532-0003, JAPAN

Full Name of Second Inventor:

Yoshiaki Tanigawa

Inventor's Signature

Yoshiaki Tanigawa2001/10/13

Date

Residence: Osaka, Japan

JPX

Citizenship: Japan

Post Office Address:

8-3-28, Uehommachi, Tennoji-ku, Osaka-shi, Osaka 543-0001, JAPAN

Full Name of Third Inventor:

Toshio Ogihara

Inventor's Signature

Toshio Ogihara2001/10/13

Date

Residence: Osaka, Japan

JPX


Citizenship: Japan

Post Office Address:

2-7-29, Sakuragaoka, Minoo-shi, Osaka 562-0046, JAPAN

COPY

United States Patent & Trademark Office
Office of Initial Patent Examination -- Scanning Division



Application deficiencies found during scanning:

☐ Page(s) _____ of _____ were not present
for scanning. (Document title)

☐ Page(s) _____ of _____ were not
present
for scanning. (Document title)

☐ Scanned copy is best available.

Declaration is too dark.

09857719-120301